

# Safety Data Sheet



Revision Date 03-Oct-2014  
Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** Express Lane Traffic Lane Cleaner  
**Product code** W.20175  
**Recommended Use** Professional Carpet Cleaning

**Manufacturer** Chemspec  
 901 North Newkirk Street  
 Baltimore, MD 21205

**Emergency telephone number** Chemtrec: 1-800-424-9300 for US  
 +1 703-527-3887 outside US

## 2. Hazards identification

### Emergency Overview

May cause central nervous system depression  
 May cause adverse kidney effects

### Potential Health Effects

#### Acute toxicity

##### Eyes

May cause slight irritation.

##### Skin

No known effect based on information supplied.

##### Inhalation

May be harmful if inhaled.

##### Ingestion

No known effect based on information supplied.

#### Chronic Effects

May cause adverse liver effects.

#### Aggravated Medical Conditions

Central nervous system. Preexisting eye disorders. Blood disorders. Kidney disorders. Liver disorders. Skin disorders. Respiratory disorders. Hematopoietic system.

#### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

#### Environmental hazard

See Section 12 for additional Ecological Information.

## 3. Composition/information on ingredients

Component	CAS-No	Weight %
ETHANOL, 2-BUTOXY- 111-76-2 ( 10-30 )	111-76-2	10-30
TRISODIUM NTA 5064-31-3 ( 1-10 )	5064-31-3	1-10
Ethoxylated Lauryl Alcohol 9002-92-0 ( 1-10 )	9002-92-0	1-10

## 4. First aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

Express Lane Traffic Lane Cleaner

<b>Eye contact</b>	Remove contact lenses. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Gently wipe or rinse the inside of the mouth with water.
<b>Notes to physician</b>	Treat symptomatically.

**5. Fire-fighting measures**

<b>Flammable Properties</b>	Combustible liquid.
<b>Flash point</b>	155 °F / 68 °C
<b>Suitable extinguishing media</b>	Water spray. Foam. Dry powder.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.
<b>Protective Equipment and Precautions for Firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. Accidental release measures**

<b>Personal precautions</b>	Use personal protective equipment.
<b>Environmental precautions</b>	No special environmental precautions required.
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

**7. Handling and storage**

<b>Advice on safe handling</b>	Wear personal protective equipment.
<b>Technical measures/Storage conditions</b>	Use only in area provided with appropriate exhaust ventilation. Keep tightly closed in a dry and cool place.

**8. Exposure controls/personal protection**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico
ETHANOL, 2-BUTOXY- 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>	TWA: 26 ppm TWA: 120 mg/m <sup>3</sup> STEL: 75 ppm STEL: 360 mg/m <sup>3</sup>
<b>Component</b>	<b>British Columbia</b>	<b>Alberta</b>	<b>Quebec</b>	<b>Ontario TWAEV</b>
ETHANOL, 2-BUTOXY- 111-76-2 ( 10-30 )	TWA: 20 ppm	TWA: 20 ppm TWA: 97 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 97 mg/m <sup>3</sup>	TWA: 20 ppm

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Express Lane Traffic Lane Cleaner

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems.

**Personal Protective Equipment****Hand Protection****Eye/Face Protection****Skin and body protection****Respiratory protection**

Rubber gloves Rubber/latex/neoprene or other suitable chemical resistant gloves

Safety glasses with side-shields.

Skin and body protection.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** When using, do not eat, drink or smoke.

## 9. Physical and chemical properties

**Physical state** Liquid  
**Appearance** Opaque  
**Odor** Solvent  
**Color** White

**Property****Values****Remarks • Methods**

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	9.4	
<b>Boiling point/boiling range</b>		
<b>Flash Point</b>	68 °C / 155 °F	
<b>Evaporation rate</b>	no data available	
<b>Explosion Limits</b>		
upper		
lower		
<b>Vapor pressure</b>	no data available	
<b>Vapor density</b>	no data available	
<b>Specific Gravity</b>	1.048 g/cc	
<b>Viscosity, kinematic</b>	no data available	
<b>Water solubility</b>	completely soluble	
<b>Partition coefficient: n-octanol/water</b>	no data available	
<b>Explosive properties</b>	no data available	

**Other information**

**Volatile organic compounds (VOC) content** 20.5%  
**Melting/freezing point**

## 10. Stability and reactivity

**Stability/Reactivity** Stable under recommended storage conditions.

**Incompatible products** None known based on information supplied.

**Conditions to Avoid** Direct sources of heat.

**Hazardous Decomposition Products** Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## 11. Toxicological information

**Acute toxicity**

Express Lane Traffic Lane Cleaner

**Product Information** The product itself has not been tested.

**Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ETHANOL, 2-BUTOXY-	470 mg/kg ( Rat )	99 mg/kg ( Rabbit )	450 ppm ( Rat ) 4 h
TRISODIUM NTA	920 mg/kg ( Rat )		5 mg/L ( Rat ) 4 h

**Chronic toxicity**

**Chronic toxicity** May cause adverse liver effects

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA	Mexico
ETHANOL, 2-BUTOXY-	A3	Group 3			
TRISODIUM NTA		Group 2B		X	

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA: (Occupational Safety & Health Administration)

X - Present

**Target Organ Effects** Blood Central nervous system Eyes Hematopoietic System Kidney Liver Respiratory system Skin

**12. Ecological information**

**Ecotoxicity**

No information available. .

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to microorganisms	Toxicity to other organisms
ETHANOL, 2-BUTOXY-		LC50: 96 h Lepomis macrochirus 1490 mg/L static LC50: 96 h Lepomis macrochirus 2950 mg/L	EC50: 48 h Daphnia magna 1000 mg/L		
TRISODIUM NTA		LC50: 96 h Pimephales promelas 93 - 170 mg/L flow-through LC50: 96 h Lepomis macrochirus 175 - 225 mg/L static LC50: 96 h Lepomis macrochirus 252 mg/L LC50: 96 h Pimephales promelas 470 mg/L static LC50: 96 h Oryzias latipes 560 - 1000 mg/L LC50: 96 h Oryzias latipes 560 - 1000 mg/L semi-static LC50: 96 h Oncorhynchus mykiss 72 - 133 mg/L static LC50: 96 h Poecilia reticulata 560 - 1000 mg/L semi-static LC50: 96 h Poecilia reticulata 560 - 1000 mg/L LC50: 96 h Pimephales promelas 114 mg/L	LC50: 48 h Daphnia magna 560 - 1000 mg/L		

Express Lane Traffic Lane Cleaner

**Persistence and degradability** No information available.**Bioaccumulation** .**Mobility** No information available.

Chemical Name	log Pow
ETHANOL, 2-BUTOXY-	0.81

### 13. Disposal considerations

**Waste Disposal Methods** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

**DOT** Not regulated

**MEX** Not regulated

### 15. Regulatory information

#### International Inventories

<b>TSCA</b>	Complies
<b>DSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

"-" - Unknown. Not listed.

#### U.S. Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Express Lane Traffic Lane Cleaner

Chemical Name	Weight %	SARA 313 - Threshold Values %
ETHANOL, 2-BUTOXY-	10-30	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
METHANOL	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**U.S. State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
METHANOL	Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
ETHANOL, 2-BUTOXY-	X	X	X	X	
METHANOL	X	X	X	X	

**International Regulations**

**Mexico - Grade** Moderate risk, Grade 2

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

D2A Very toxic materials

B3 Combustible liquid



**16. Other information**

<b>NFPA</b>	Health Hazard 2	Flammability 2	Stability/Reactivity 0	Physical and chemical hazards -
<b>HMIS</b>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal protection -

**Prepared By** Chemspec Regulatory Affairs/Product Safety

Express Lane Traffic Lane Cleaner

---

<b>Revision Date</b>	03-Oct-2014
<b>Revision Note</b>	No information available.

**Legend:**

**NIOSH IDLH: Immediately Dangerous to Life or Health**

**Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Material Safety Data Sheet**