

Malco Products MSDS - 1145A - PERFECT 10 (AEROSOL)

Material Safety Data Sheet - PERFECT 10 (AEROSOL)**Product Identification**

EDP Number: 1145A

Product Name: PERFECT 10 (AEROSOL)

DOT Hazard: AEROSOLS--CONSUMER COMMODITY

DOT
ShipName: AEROSOLS,9,UN1950 ,IMDG PAGE 9022**Physical Data**

Boil Point	Freeze Point	Gravity	Vapor Pressure	Vapor Density	Evap Rate	% Volatile	Solubility
N/A	N/A	< 1	150	> 1	< 1	N/A	NONE

Odor and Appearance: FINE MIST SPRAY WITH PETROLEUM DISTILLATE ODOR.

Ingredients

Material Name	Percentage	TLV	Hazard	CAS Number
DIMETHYL POLYSILOXANE	5 - 10	N/A	N/A	63148-62-9
ISOPARAFFINIC SOLVENT	0 - 1	400 PPM	FLAMMABLE	N/A
HEXANE	30-40	50 PPM	FLAMMABLE	110-54-3
LIQUEFIED PETROLEUM GAS	55-60	1000 PPM	FLAMMABLE	68476-85-7

Fire and Explosion Hazard Data

Flash Point	LEL	UEL
- 40 F	1.8	9.2

Extinguishing Media WATERFOG FOAM, CO2 OR DRY CHEMICAL

Unusual Fire & Explosion Hazards AT ELEVATED TEMPERATURES (130° F OR OVER) CONTAINERS MAY VENT, RUPTURE OR BURST.

Health Hazard Data

Acute Effects N/A

Swallowing MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, DIARRHEA.

Inhalation MAY BE IRRITATING TO RESPIRATORY TRACT AND NASAL MEMBRANES. MAY CAUSE DIZZINESS.

Skin Contact MAY BE IRRITATING ON REPEATED OR PROLONGED CONTACT.

Eye Contact MAY CAUSE IRRITATION, REDNESS, TEARING.

Chronic Effects OVEREXPOSURE (OVER 1000PPM) MAY CAUSE SEVERE CENTRAL NERVOUS SYSTEM EFFECTS INCLUDING DROWINESS, UNCONSCIOUSNES, PERIPHERAL NERVOUS SYSTEM DISORDERS AND EVEN DEATH.

Other Hazards N/A

Malco Products MSDS - 1145A - PERFECT 10 (AEROSOL)

Emergency First Aid Procedures

Swallowing DO NOT INDUCE VOMITING. KEEP PERSON WARM AND QUIET. CONTACT PHYSICIAN IMMEDIATELY.

Inhalation REMOVE PERSON TO FRESH AIR AND CONTACT PHYSICIAN IMMEDIATELY.

Skin Contact WASH EXPOSED AREA WITH SOAP AND WATER. IF IRRITATION OCCURS, CONTACT PHYSICIAN.

Eye Contact IF SPRAYED IN EYES, FLUSH WITH LARGE QUANTITIES OF WATER FOR A MINIMUM OF 15 MINUTES, LIFTING UPPER AND LOWER LIDS OCCASIONALLY. CONTACT PHYSICIAN IMMEDIATELY.

Primary INHALATION

Note to Physician PRODUCT CONTAINS 30-40 % HEXANE.

Reactivity Data

Stability STABLE

Conditions to Avoid DO NOT STORE ABOVE 130° F. KEEP AWAY FROM FLAME/HEAT.

Materials to Avoid STRONG OXIDIZERS, OPEN FLAME AND HEAT.

Hazardous Decom Prod CARBON DIOXIDE, CARBON MONOXIDE AND OTHER TOXIC CHEMICALS.

Hazardous Polymerization WILL NOT OCCUR.

Additional Cond to Avoid N/A

Spill or Leak Procedures

Steps if spilled REMOVE ALL SOURCES OF IGNITION AND VENTILATE AREA.

Waste Disposal Method DO NOT PUNCTURE OR INCINERATE CONTAINERS. GIVE TO A DISPOSAL SERVICE EQUIPPED TO SAFELY HANDLE AND DISPOSE OF PRESSURIZED CONTAINERS. IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Special Protection Information

Respiratory Protection NONE IF GOOD VENTILATION IS MAINTAINED. USE A NIOSH APPROVED RESPIRATOR IF EXPOSURE LIMITS ARE EXCEEDED.

Ventilation MECHANICAL EXHAUST

Impervious Gloves YES

Other PPE SAFETY GOGGLES

Special Precautions

Storage & Handling Precautions READ AND FOLLOW CAUTIONS ON PRODUCT LABEL. DO NOT STORE IN TEMPERATURES ABOVE 120° F.

Other Precautions N/A

HMIS Ratings

Health	1
Flammability	4
Reactivity	0
Personal Protective Equipment	B

Malco Products MSDS - 1145A - PERFECT 10 (AEROSOL)

Prepared By: JOEL POCHRON
TECHNICAL DIRECTOR
MALCO PRODUCTS, INC.
36I FAIRVIEW AVE P O BOX 892
BARBERTON OHIO 44203
330-753-0361 OR 800-253-2526
These numbers are available days, nights, weekends and holidays.

Last Updated 1/6/99

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIALS IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL, EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.