

## Trewax Mahogany Paste Wax Safety Data Sheet

Revision Number: 3.0



## SAFETY DATA SHEET

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

<b>PRODUCT NAME/IDENTIFIER</b>	Trewax Mahogany Paste Wax
<b>OTHER PRODUCT NAMES/SYNONYMS</b>	None known.
<b>PRIMARY APPLICATION/RECOMMENDED USE</b>	Wax. See product label for proper usage instructions.
<b>USAGE RESTRICTIONS</b>	Use this product only as directed on the label.
<b>COMPANY IDENTITY</b>	Beaumont Products, Inc.
<b>COMPANY ADDRESS</b>	1560 Big Shanty Drive
<b>COMPANY CITY, STATE, ZIP</b>	Kennesaw, GA 30144
<b>COMPANY PHONE</b>	1-800-451-7096
<b>SDS PREPARATION DATE</b>	12/SEP/2014
<b>REVISION</b>	3.0
<b>REGULATORY CONTACT</b>	Carrie Walker, Regulatory Manager (cwalker@beaumontproducts.com)
<b>EMERGENCY PHONE (24 HOUR)</b>	CHEMTEL: 1-800-255-3924, Int'l: 1-813-248-0585

## SECTION 2: HAZARDS IDENTIFICATION

## DANGER



## HAZARD CLASSIFICATION

Flammable liquids (Chapter 2.6). Hazard Category 4.  
 Aspiration hazard (Chapter 3.10). Hazard Category 1.  
 Skin corrosion/irritation (Chapter 3.1). Hazard Category 2.  
 Serious eye damage/eye irritation (Chapter 3.3). Hazard Category 2B.  
 Acute toxicity, inhalation (Chapter 3.1). Hazard Category 5.  
 Specific target organ toxicity, single exposure; respiratory tract irritation (Chapter 3.8). Hazard Category 3.  
 Specific target organ toxicity, single exposure; narcotic effects (Chapter 3.8). Hazard Category 3.  
 Specific target organ toxicity, single exposure (Chapter 3.8). Hazard Category 2.  
 Hazardous to the aquatic environment, acute toxicity (Chapter 4.1). Hazard Category 3.

## HAZARD STATEMENTS

H227: Combustible when liquid.  
 H304: May be fatal if swallowed and enters airways.  
 H315: Causes skin irritation.  
 H320: Causes eye irritation.  
 H333: May be harmful if inhaled.  
 H335: May cause respiratory irritation.  
 H336: May cause drowsiness or dizziness.  
 H371: May cause damage to the following organs: kidneys, lungs, liver, mucous membranes, upper respiratory tract, skin, central nervous system (CNS), eye (lens or cornea).  
 H402: Harmful to aquatic life.

## Trewax Mahogany Paste Wax Safety Data Sheet

Revision Number: 3.0

**PRECAUTIONARY STATEMENTS**

P101: If medical advice is needed, have product container or label at hand.  
 P102: Keep out of reach of children.  
 P103: Read label before use.  
 P210: Keep away from flames and hot surfaces. – No smoking.  
 P261: Avoid breathing vapours from this product.  
 P264: Wash hands thoroughly after handling.  
 P270: Do not eat, drink, or smoke when using this product.  
 P271: Use only outdoors or in a well-ventilated area.  
 P273: Avoid release to the environment.  
 P280: Wear protective clothing as noted in Section 8 of this SDS.

**HAZARDS NOT OTHERWISE CLASSIFIED**

None known.

**OTHER INFORMATION**

None available.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL NAME	COMMON NAME/SYNONYMS	CAS#	WT%
Petroleum distillates	Petroleum hydrocarbon solvent	64742-47-8	60 – 100

The exact percentages (concentrations) of ingredients in this product have been withheld as a trade secret. Any hazards associated with the finished product are listed in Section 2 of this SDS.

**SECTION 4: FIRST AID MEASURES****RELEVANT ROUTES OF EXPOSURE**

Skin Contact, Eye Contact, Ingestion, Inhalation

**SKIN CONTACT FIRST AID**

IF ON SKIN: Wash with plenty of soap and water (P302+P352).  
 If skin irritation occurs: get medical advice/attention (P332+P313).  
 Take off contaminated clothing and wash before reuse (P362).

**EYE CONTACT FIRST AID**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).  
 If eye irritation persists: Get medical advice/attention (P337+P313).

**INGESTION FIRST AID**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician (P301+P310).  
 Do NOT induce vomiting (P331).

**INHALATION FIRST AID**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340). Call a POISON CENTER or doctor/physician if you feel unwell (P304+P312).

**TARGET ORGAN EXPOSURE**

See Section 2 for target organs affected by this product. If exposed or if you feel unwell, call a POISON CENTER or doctor/physician (P309+P311).

**MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

No information available.

**NOTES TO PHYSICIAN**

Treat symptomatically.

**SECTION 5: FIRE-FIGHTING MEASURES**

FLASH POINT	150°F/66°C.
FLASH POINT METHOD	Closed-cup.
AUTO-IGNITION TEMPERATURE	Not determined.
PERCENTAGE FLAMMABLE IN AIR	No determined.

## Trewax Mahogany Paste Wax Safety Data Sheet

Revision Number: 3.0

**SUITABLE EXTINGUISHING MEDIA**

This product is combustible. Use dry chemical, foam, or carbon dioxide to extinguish. Water fog may be used to cool containers to prevent rupturing.

**UNSUITABLE EXTINGUISHING MEDIA**

No information available.

**SPECIFIC HAZARDS**

This product has a flashpoint of 150°F/66°C. No hazardous combustion products are known.

**PROTECTIVE MEASURES IN FIRE**

Use protective equipment appropriate for firefighting surrounding materials.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****PERSONAL PRECAUTIONS**

Safety Data Sheets are intended for occupational-use products; this is a consumer-use product. Wear protective clothing as described in Section 8 of this Safety Data Sheet and follow the handling precautions in Section 7 of this Safety Data Sheet. Use product in accordance with label instructions.

**ENVIRONMENTAL PRECAUTIONS**

Do not release into the environment, including waterways. Dispose of in accordance with federal, state, local, and regional regulations.

**EMERGENCY PROCEDURES**

Deny entry to unnecessary personnel.

**CONTAINMENT AND CLEAN-UP MEASURES**

Scoop, wipe, or soak up any spilled material. Product may leave surfaces slippery. Dispose of material and container in accordance with federal, state, local, and regional regulations. Do not release into environment, including waterways.

**SECTION 7: HANDLING AND STORAGE****HANDLING PRECAUTIONS**

Keep out of reach of children and pets.  
Wash hands thoroughly after handling.  
Do not eat, drink, or smoke when using this product.  
Avoid breathing vapours from this product.

**STORAGE PRECAUTIONS**

Keep container closed and upright when not in use.  
Keep out of reach of children and pets.  
Store in a well-ventilated place. Keep cool.  
Store in a controlled area or only where trained personnel have access.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****EXPOSURE LIMITS**

No data available.

**PROTECTIVE EQUIPMENT**

When using this product as directed on the product label, no protective equipment is necessary. Take normal precautions necessary when using a floor petroleum distillate-based wax product.

**RESPIRATORY EQUIPMENT**

None required during normal consumer use.  
*Industrial use:* Use in a well-ventilated area. If adequate ventilation is unavailable, use a NIOSH-approved respirator.

**SKIN PROTECTION**

None required during normal consumer use.  
*Industrial use:* Wear impervious gloves and suitable protective clothing.

**EYE PROTECTION**

None required during normal consumer use.  
*Industrial use:* Wear safety glasses or chemical goggles.

**OTHER PERSONAL PROTECTION MEASURES**

No information available.

**ENGINEERING CONTROLS/MEASURES**

Ensure the area of use is well-ventilated.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>PHYSICAL STATE</b>	Paste.
<b>APPEARANCE</b>	Reddish-brown, opaque.
<b>pH</b>	Not determined.
<b>ODOR</b>	Characteristic solvent.
<b>ODOR THRESHOLD</b>	Not determined.
<b>MELTING/FREEZING POINT</b>	135-190°F/57-88°C.
<b>INITIAL BOILING POINT</b>	Not determined.
<b>BOILING POINT RANGE</b>	Not determined.
<b>FLASH POINT</b>	150°F/66°C.
<b>EVAPORATION RATE</b>	Not determined.
<b>PERCENTAGE VOLATILE BY VOLUME</b>	Not determined.
<b>FLAMMABILITY</b>	Combustible.
<b>UPPER FLAMMABILITY LIMIT</b>	Not determined.
<b>LOWER FLAMMABILITY LIMIT</b>	Not determined.
<b>VAPOR PRESSURE</b>	Not determined.
<b>VAPOR DENSITY</b>	Not determined.
<b>SPECIFIC GRAVITY</b>	Not determined.
<b>SOLUBILITY</b>	Insoluble in water.
<b>PARTITION COEFFICIENT</b>	Not determined.
<b>AUTO IGNITION TEMPERATURE</b>	Not determined.
<b>DECOMPOSITION TEMPERATURE</b>	Not determined.
<b>VISCOSITY</b>	Not determined.
<b>MOLECULAR WEIGHT</b>	Not applicable.
<b>%VOC BY WEIGHT</b>	63.90.

**SECTION 10: STABILITY AND REACTIVITY**

<b>REACTIVITY</b>	No data available.
<b>CHEMICAL STABILITY</b>	This product is stable under normal conditions (77°F/25°C and 100kPa/1bar).
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	None under normal conditions of use according to label instructions.
<b>HAZARDOUS POLYMERIZATION</b>	Will not occur.
<b>CONDITIONS TO AVOID</b>	Avoid excessive heat; store in a cool, dry, well-ventilated area. Keep away from heat, flame, and other potential ignition sources. Keep away from strong oxidizing conditions and agents.
<b>INCOMPATIBLE MATERIALS</b>	Incompatible with strong acids, alkalis, and oxidizers.
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	None known.
<b>ADDITIONAL INFORMATION</b>	Hazardous combustion products: carbon dioxide, carbon monoxide, smoke, fumes, and/or unburned hydrocarbons. Product may darken over time. This color change does not present a safety issue.

**SECTION 11: TOXICOLOGICAL INFORMATION**

<b>LIKELY ROUTES OF EXPOSURE</b>	Inhalation, Ingestions, Skin Contact, Eye Contact. No further data is available.
----------------------------------	--

## Trewax Mahogany Paste Wax Safety Data Sheet

Revision Number: 3.0

**ACUTE TOXICITY**

<b>INHALATION</b>	Unknown.
<b>INGESTION</b>	Unknown.
<b>SKIN CONTACT</b>	Unknown.
<b>EYE CONTACT</b>	Unknown.

**OTHER INFORMATION ON TOXICOLOGICAL EFFECTS**

<b>SYMPTOMS</b>	No data available.
<b>DELAYED AND IMMEDIATE EFFECTS</b>	Unknown.
<b>CHRONIC EFFECTS</b>	Unknown.
<b>TOXIC DOSE LD50 ORAL</b>	Unknown.
<b>TOXIC DOSE LD50 DERMAL</b>	Unknown.
<b>CARCINOGENICITY</b>	Unknown.
<b>REPRODUCTIVE TOXICITY</b>	Unknown.
<b>TOXICITY LEVEL</b>	Unknown.
<b>ADDITIONAL INFORMATION</b>	None available.

**SECTION 12: ECOLOGICAL INFORMATION**

<b>INGREDIENTS</b>	No data available.
<b>ECOTOXICITY/SPECIES</b>	No data available.
<b>MOBILITY</b>	This product is insoluble in water.
<b>DEGRADABILITY</b>	No data available.
<b>ADDITIONAL INFORMATION</b>	None available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

When disposing of this product, please refer to Section 8 of this Safety Data Sheet for appropriate personal protection instruction.

<b>PRODUCT DISPOSAL</b>	Dispose of in accordance with federal, state, local, and regional regulations.
<b>PACKAGING DISPOSAL</b>	Dispose of in accordance with federal, state, local, and regional regulations.

**SECTION 14: TRANSPORT INFORMATION**

<b>US DOT – Containers 2.2lb and Smaller</b>	Containers 2.2lb and smaller are Limited Quantity and thus are exempt from regulation.
<b>US DOT – Containers over 2.2lb, IATA</b>	Proper Shipping Name: Solids containing flammable liquid, n.o.s. Class: 4.1 ID: UN3175 PG: II Hazardous Material: Petroleum distillates
<b>IMDG, TDG, SCT</b>	Not determined.
<b>ADDITIONAL INFORMATION</b>	None available.

**SECTION 15: REGULATORY INFORMATION****OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:**

The Occupational Safety and Health Administration requires Safety Data Sheets to provide any hazards that may be associated with the product and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain additional health hazard information not pertinent to consumer use.

Trewax Mahogany Paste Wax Safety Data Sheet

Revision Number: 3.0

**US TSCA INVENTORY STATUS**

All chemicals used in this product are either listed on or exempt from the TSCA Inventory.

**CANADA DSL STATUS**

All chemicals used in this product are either listed or exempt.

**SARA 302 COMPONENTS**

No chemicals used in this product are reportable under SARA Title III, Section 302.

**SARA 311/312 HAZARDOUS CHEMICALS**

Petroleum distillates (CAS No. 64742-47-8): Fire Hazard, Acute (Immediate) Health Hazard, Chronic (Delayed) Health Hazard.

**SARA 313 COMPONENTS**

This product is not known to contain any SARA 313 components.

**CALIFORNIA PROPOSITION 65**

This product is known to contain chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

**MASSACHUSETTS COMMONWEALTH'S RIGHT TO KNOW**

Petroleum distillates (CAS No. 64742-47-8), Microcrystalline Wax (CAS No. 63231-60-7).

**NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW**

Petroleum distillates (CAS No. 64742-47-8), Microcrystalline Wax (CAS No. 63231-60-7).

**PENNSYLVANIA WORKER AND COMMUNITY RIGHT TO KNOW**

Petroleum distillates (CAS No. 64742-47-8), Microcrystalline Wax (CAS No. 63231-60-7).

**WHMIS CLASSIFICATION**



**Class B3 Combustible  
Liquid (Product is Solid at  
Room Temperature)**

**WHMIS CLASSIFICATION**



**Class D2B Toxic Material  
Causing Other Toxic Effects**

**SECTION 16: ADDITIONAL INFORMATION**

<b>NFPA</b>	Health: 3	Flammability: 1	Stability: 0
<b>HMIS</b>	Health: 3	Flammability: 2	Physical: 0
<b>SDS REVISION NUMBER</b>	3.0		
<b>SDS PREPARATION DATE</b>	12/SEP/2014		
<b>SUPERCEDES</b>	Revision 2.0; 18/MAR/2014		
<b>REVISION NOTES</b>	None available.		

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available that is believed to be true and accurate.

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all information required by the *Controlled Products Regulations*.

The recommended hygiene and safe handling procedures are believed to be generally applicable to this product. However, each user should review these recommendations in a specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.